



SUSPENSION / SOSPENSIONE



WALL / DA PARETE



Transparent atmospheres

IMM 2018

Cologne, Germany

Project: Exhibition stand

Architect: CalviBrambilla

Products: L004SW/A lighting, Babila armchair
and table, Babila Comfort lounge chair,
Malmö coffee table, Fox armchair



Ironie Office

Orgatec 2016

Cologne, Germany

Project: Exhibition stand

Architect: CalviBrambilla

Products: L004S/A lighting,
Arki-Table, Dome side chair





Private house

Desenzano del Garda, Italy

Project: Private house

Products: L004SW/A lighting,
Babilia side chair, Ikon Big table

Industrial Symphony

Pedrali Headquarters,
Mornico al Serio, Italy

Project: Showroom

Architect: Calvi Brambilla


Products: L004SW/A lighting,
Arki-Table, Laja Wings armchair,
Vic armchair, Ikon table



SIZES / DIMENSIONI


L004S/A

Polycarbonate diffuser,
white ceiling rose transparent cable




L004SW/A

Polycarbonate diffuser,
black ceiling rose and cable



FINISHES / FINITURE

ceiling rose / rosone



electrical features / caratteristiche elettriche

- Light L004S: MAX 1x75W E27 50-60Hz 220-240V IP20 Classe I
- Light L004SW: MAX 1x23W E27 220-240V IP20 Class II

Light bulb excluded / Lampadina esclusa

CERTIFICATES / CERTIFICAZIONI

L004S
EN60598-2-1:1989 used in compliance with EN 60598-1:2008 (test report N° 0262CE12)
EN60598-2-1:1989 usato in conformità con EN 60598-1:2008 (test report N° 0262CE12)

L004SW
EN60598-2-1:1989 used in compliance with EN 60598-1:2015 (test report 0104CE16)
EN60598-2-1:1989 usato in conformità con EN 60598-1:2015 (test report 0104CE16)




Declaration of European conformity
Dichiarazione di conformità Europea

SIZES / DIMENSIONI

L004CW/A_3/6/8

Suspension lamp with two
polycarbonate diffusers, cable
length 3000, 6000, 8000 mm,
with 2, 4, 5 cable clamp



FINISHES / FINITURE

cable clamp / fissacavo



NEF
Matt black
Nero opaco

electrical features / caratteristiche elettriche

- Light L004CW: MAX 1x23W E27 220-240V IP20 Class II

Light bulb excluded / Lampadina esclusa

CERTIFICATES / CERTIFICAZIONI

EN60598-2-1:1989 used in compliance with EN 60598-1:2015 (test report 0104CE16)
EN60598-2-1:1989 usato in conformità con EN 60598-1:2015 (test report 0104CE16)




Declaration of European conformity
Dichiarazione di conformità Europea

SIZES / DIMENSIONI


L004W40/A

Wall applique version, visible black cable and powder coated steel frame in matt finish



L004W90/A

Wall applique version, visible black cable and powder coated steel frame in matt finish



FINISHES / FINITURE

cable clamp / fissacavo



NEF
Matt black
Nero opaco



_OA
Antique brass
Ottone anticato



NEF
Matt black
Nero opaco

steel frame / struttura in acciaio

FINISHES / FINITURE

polycarbonate diffuser / diffusore in policarbonato

soft-touch coated / verniciato finitura soft-touch



BE



GA



RM



NS



VE

electrical features / caratteristiche elettriche

- Light L004W: MAX 1x23W E27 220-240V 50-60Hz IP20 Class II

Light bulb excluded / Lampadina esclusa

CERTIFICATES / CERTIFICAZIONI

EN60598-2-1:1989 used in compliance with EN 60598-1:2015 (test report 0104CE16)
EN60598-2-1:1989 usato in conformità con EN 60598-1:2015 (test report 0104CE16)



Declaration of European conformity
Dichiarazione di conformità Europea

Time Out

Soft atmosphere

DESIGN
Alberto Basaglia - Natalia Rota Nodari, 2011


EN — Time Out is a floor lamp in polyethylene designed to illuminate gardens, terraces and outdoor spaces. Simple and well-made, its archetyp design offers practical handling.

Time Out is particularly suitable for valorizing contemporary or classic environments.

IT — Time Out è una lampada da terra in polietilene stampato pensata per illuminare giardini, terrazze e zone outdoor. Pratica da movimentare, grazie alla sua forma archetipica, Time Out è particolarmente adatta per inserirsi in ambienti contemporanei o classici.

Lighting

Lampada



Touchpoint Co-Design experiments

La Triennale di Milano, Italy

Project: Temporary conference room

Products: Time Out lighting,
Happy Apple lighting, Giravolta lighting,
Ara Lounge armchair, Nolita table.





Nò-Do


Paratico, Italy

Project: Restaurant

Products: Time Out lighting,

Happy Apple lighting, Ara side chair and armchair, Ikon table, Twig chair, Ypsilon table





Private house

Bergamo, Italy


Project: Outdoor

Products: Time Out Lighting.

Terris bar counter, Kado pot

SIZES / DIMENSIONI


T_OUT/BI_LUCE
Polyethylene lighting



T_OUT_FIX
Floor fixing kit

FINISHES / FINITURE

polyethylene / polietilene



BI

electrical features / caratteristiche elettriche

- **Light:** MAX 2x27W E27 220-240V 50/60 Hz IP44 Class II

Lighting kit included / Kit illuminazione compreso

CERTIFICATES / CERTIFICAZIONI

EN60598-2-4:1997 used in compliance with EN 60598-1:2008 + A11:2009 (test report N°0280CE11)
EN60598-2-4:1997 used in conjunction with EN 60598-1:2008 + A11:2009 (test report N°0280CE11)



Declaration of European conformity
Dichiarazione di conformità Europea


Happy Apple

Lighting temptation

DESIGN
Alberto Basaglia - Natalia Rota Nodari, 2012

EN — Happy Apple is a collection of lamps made-up of polyethylene lighting body that perfectly fits both indoor and outdoor use. Multipurpose and versatile, it can be a suspension lamp, a floor lamp or an applique.

IT — Happy Apple è una collezione di lampade realizzata con corpo illuminante in polietilene che si adatta perfettamente sia all'uso interno sia alla collocazione outdoor. Polivalente e versatile, può essere una lampada a sospensione, da terra, oppure un'applique da parete.



WORKING



WORKING



Lighting lampada Happy Apple
Armchair poltrona Log
Table tavolo Arki-Table
Coffee table tavolino Code
Lounge armchair poltrona lounge Log

Lighting


Lampada




SUSPENSION / SOSPENSIONE



FLOOR / DA TERRA







Floor lamp version for outdoor,
optional fixing kit on the floor
Versione da terra per outdoor,
kit di fissaggio a terra opzionale
Ø 1200 mm

332E





Private house

Brescia, Italy

Project: Private house

Products: Happy Apple 330E,
331E, 332E lighting

152 PEDRALI Lighting / Lampade



Bulgari Hotel Milano

Milan, Italy

Project: Temporary installation

Architect: Migliore+Servetto Architects

Product: Happy Apple 330E,
331E, 332E lighting



HAPPY APPLE 153



Settepertredici

Brescia, Italy

Project: Outdoor

Products: Happy Apple 330E, 331E, 332E lighting, Host Lounge modular seating, Igloo bar counter, Rubik barstool



Štravs Gostilna

Šmarje pri Jelšah, Slovenia

Project: Restaurant

Architect: Ab objekt d.o.o.

Products: Happy Apple 330E, 331E, 332E lighting, Ikon table, Babilu armchair

Malmö armchair, Osaka Metal barstool, Gliss Lounge armchair





A Wheel for Pedrali

Salone Internazionale
del Mobile 2012
Milan, Italy

Project: Exhibition stand

Architect: Migliore+Servetto Architects

Products: Happy Apple 330E,
331E lighting, Tetrís bar counter

Green Design

Piazza Antico Lavatoio
Bergamo, Italy


Project: Temporary installation

Products: Happy Apple 330E lighting,
Ikón bench modular seating,
Giravolta lighting, Ara Lounge armchair



SIZES / DIMENSIONI

330E Floor polyethylene lighting for outdoor	331E Floor polyethylene lighting for outdoor	332E Floor polyethylene lighting for outdoor
 Ø 500	 Ø 800	 Ø 1200
Suspension polyethylene lighting for outdoor	Suspension polyethylene lighting for outdoor	
 Ø 500	 Ø 800	
FINISHES / FINITURE		

polyethylene / polietilene		cable, cap and handle / cavo, tappo e maniglia	
	BI		VE
electrical features / caratteristiche elettriche			
CERTIFICATES / CERTIFICAZIONI			

• Light:
330E MAX 1x15W E27 220-240V 50/60 Hz IP20 Class II
331E • 332E: MAX 1x32W E27 220-240V 50/60 Hz IP65 Class II

Light bulb included / Lampadina inclusa



EN60598-2-4:1997, used in compliance with EN 60598-1:2008 • A11:2009
EN60598-2-4:1997, usato in conformità con EN 60598-1:2008 • A11:2009

CE

Declaration of European conformity
Dichiarazione di conformità Europea

SIZES / DIMENSIONI

330 Floor polyethylene lighting	331 Floor polyethylene lighting	332 Floor polyethylene lighting
 Ø 500	 Ø 800	 Ø 1200
330S Suspension polyethylene lighting	331S Suspension polyethylene lighting	330A Wall/ceiling polyethylene lighting
 Ø 500	 Ø 800	 440 Ø 500
FINISHES / FINITURE		

polyethylene / polietilene	cap and handle / tappo e maniglia	ceiling rose / rosone
		 131 131
BI	BI	RB
electrical features / caratteristiche elettriche		
CERTIFICATES / CERTIFICAZIONI		

• Light:
330S • 331S: MAX 1x32W E27 220-240V 50/60 Hz IP20 Class II
330A: MAX 1x32W E27 220-240V 50/60 Hz IP20 Class II
330: MAX 1x15W E27 220-240V 50/60 Hz IP20 Class II
331 • 332: MAX 1x32W E27 220-240V 50/60 Hz IP20 Class II

Light bulb included / Lampadina inclusa

EN60598-2-4:1997, used in compliance with EN 60598-1:2008 • A11:2009
EN60598-2-4:1997, usato in conformità con EN 60598-1:2008 • A11:2009

CE

Declaration of European conformity
Dichiarazione di conformità Europea

Pedrali Lighting | Edition June 2019

Creative & design direction Leftloft

Print Intese Grafiche

Copyright © 2019, Pedrali S.p.A. All rights reserved

Photo credits

BHM Studio

Beppe Brancato

Mattia Pagani

Ottavio Tomasini

Chiara Berselli

Elisabetta Brian

Matej Lozar

Thanks to

Alessi

Bohem Fiori

CC-Tapis

Gio Pastori

Interno 8

Livellara

Marazzi

Mario Luca Giusti

Mepra

Moleskine

Society

Styling

Elena Caponi

Sissi Valassina

Pesi, dimensioni e colori sono indicativi. Pedrali si riserva la facoltà di apportare modifiche o migliorie senza alcun preavviso.

Weights, measurements and colours are indicative. Pedrali reserves the right to modify or upgrade the products without prior notice.

Industrial property right | Diritto di proprietà industriale

I contenuti del presente catalogo, quali, a titolo esemplificativo, le opere, le immagini, le fotografie, i documenti, i disegni, le figure, i loghi ed ogni altro materiale, in qualsiasi formato, pubblicato sono protetti a livello mondiale dal diritto d'autore e da ogni altro diritto di proprietà intellettuale di PEDRALI.

The contents of the present catalogue such as, by way of example, the works, the images, the pictures, the documents, the drawings, the forms, the logos and all other materials, published in any format, are worldwide protected by copyrights and any other industrial intellectual property right of Pedrali.

