

Guida alle tipologie e ai materiali

LIGHTING

Legend

Legenda



All dimensions are expressed in millimeters
Tutte le dimensioni sono espresse in millimetri



Product suitable for outdoor use
Prodotto adatto per utilizzo in esterni



Product not recommended for outdoor use
Prodotto non adatto per utilizzo in esterni



Declaration of European conformity
Dichiarazione di conformità Europea

Lighting index

Indice lampade

PRODUCT NAME NOME PRODOTTO	PAGE PAGINA	PRODUCT NAME NOME PRODOTTO	PAGE PAGINA
Colette			
L003TA TABLE	032	L002	088
L003TB TABLE	036	L002 CW SUSPENSION	110
Giravolta			
1799 TABLE	038	L002 S SUSPENSION	096
1799/50 TABLE	010	L002 ST FLOOR	100
1799/130 FLOOR	016	L002 SW SUSPENSION	098
Happy Apple			
330, 331, 332 FLOOR	020	L002 T FLOOR	102
330A WALL	022	L002 W WALL	099
330E - 331E SUSPENSION / FLOOR	140	L004	114
332E FLOOR	148	L004 CW SUSPENSION	129
330S, 331S SUSPENSION	140	L004 S SUSPENSION	119
L001	147	L004 SW SUSPENSION	120
L001 CW SUSPENSION	150	L004 W WALL	121
L001 S SUSPENSION	144	Time Out	132
L001 ST FLOOR	046		
L001 SW SUSPENSION	070		
L001 T FLOOR	054		
L001 TA TABLE	064		
L001 W WALL	058		
	066		
	060		
	062		

“Light is warm,
light is cold,
light gives atmosphere,
light decorates,
light creates intimacy”

ALBERTO BASAGLIA NATALIA ROTA NODARI

“La luce è calda,
la luce è fredda,
la luce fa atmosfera,
la luce arreda,
la luce crea intimità”

Giravolta

The wireless outdoor lighting

DESIGN
Alberto Basaglia - Natalia Rota Nodari, 2017

EN — Inspired by Lanterns of times past, it is a wireless lighting distinguished by a contemporary design and suitable for outdoor environments. The name reflects its essence: the swivelling diffuser and the rechargeable feature recalls the great inventor Alessandro Volta and his main discovery, the battery.

IT — Ispirata alle lanterne di un tempo, Giravolta è una lampada wireless ricaricabile dal design contemporaneo, adatta per l'outdoor. Nel nome tutta la sua essenza: da un lato il suo diffusore orientabile, dall'altro il suo essere ricaricabile da cui il riferimento ad Alessandro Volta e alla sua principale invenzione, la pila.



LIVING

LIVING

Lighting lampada **Giravolta**
Lounge armchair poltrona lounge **Babilia Comfort**
Pouf **Buddy**
Coffee table tavolino **Buddy**
Cushion cuscino **Social Plus**



EATING



Lighting lampada Giravolta
Armchair poltrona Babila
Table tavolo Babila

LIVING








Lighting lampada Giravolta
Sofa divano Social
Coffee table tavolino Malmö


Lighting

Lampada









Height
Altezza
1300 mm

1799/130



Micro
USB plug
Connettore
USB micro



Caffè del Tasso

Piazza Vecchia
Bergamo, Italy

Project: Café & Restaurant

Products: Giravolta lighting, Nolita side chair, armchair, barstool and table, Liberty table, Ara armchair, Glam chair

24 PEDRALI Lighting / Lampade


#Pedraligoodideas

Salone Internazionale
del Mobile 2018
Milan, Italy

Project: Exhibition stand

Architect: CalviBrambilla

Products: Giravolta lighting,
Reva sofa and lounge armchair,
Buddy coffee table



GIRAVOLTA 25



Bohem La Stazione

Paratico, Italy

Project: Florist, Café & Restaurant

Products: Giravolta lighting,
Tweet armchair, Inox table, Log armchair,
Nolita armchair, chaise-longue and table






Temporary installation

Paratico, Italy

Project: Outdoor

Products: Giravolta lighting,
Intrigo armchair, Laja table







Pedrali Solid Geometry


Salone Internazionale
del Mobile 2017
Milan, Italy
Project: Exhibition stand
Architect: CalviBrambilla
Products: Giravolta lighting, Nolita table,
armchair and chaise-longue

SIZES / DIMENSIONI

1799	1799/50	1799/130	1799_MGN_10
Wireless polypropylene and aluminium lighting	Wireless polypropylene and aluminium lighting	Wireless polypropylene and aluminium lighting	Magnet kit, suitable for items 1799 and 1799/50
			
electrical features / caratteristiche elettriche		AWARDS / PREMI	
• Light: LED ARRAY 2W/3,7V 500mA 3000K 157 lm Class III • Battery: Lithium battery (Li-Po), over-8 hours operating time • Cable: black, length 1,3 mtrs, with micro USB cable and battery charger with Europlug type C (europlug 7/16), for indoor use		  	

FINISHES / FINITURE

polypropylene and aluminium / polipropilene e alluminio



CERTIFICATES / CERTIFICAZIONI

EN 60598-2-4:1997 used in compliance with EN 60598-1:2015 (test report 0099CE17)
EN 60598-2-4:1997 usato in conformità con EN 60598-1:2015 (test report 0099CE17)
IP65 Suitable for outdoor use / IP65 Adatto per uso esterno



Declaration of European conformity
Dichiarazione di conformità Europea

Colette

Iconic light

DESIGN
Alberto Basaglia - Natalia Rota Nodari, 2013

EN — Colette is a table or bedside lamp in polycarbonated that stands out for its sculptural shapes and the colour. A translucent cylinder diffuses the light only in correspondence of the half-sphere. Its transparency gives lightness to the whole lamp.

IT — Colette è una lampada da tavolo o da comodino in policarbonato che si esprime attraverso la plasticità delle forme e il colore. Un cilindro traslucido tenta di imprigionare la luce che si libera pienamente solo in corrispondenza della semisfera che con la sua trasparenza dona leggerezza all'intera lampada.



LIVING




SLEEPING



Lighting Lampada




L003TA



Glossy finish
Finitura lucida



One-piece injected
polycarbonate
Stampata unica
in policarbonato





Pedrali Solid Geometry

Salone Internazionale
del Mobile 2017
Milan, Italy

Project: Exhibition stand

Architect: CalviBrambilla

Products: Colette L003TB lighting,
Oblique bar counter

#Pedralgoodideas

Salone Internazionale

del Mobile 2018



Milan, Italy

Project: Exhibition stand

Architect: CalviBrambilla

Products: Colette LOO3TB lighting,

Oblique bar counter



Industrial Symphony

Pedrali Headquarters,
Mornico al Serio, Italy

Project: Showroom

Architect: CalviBrambilla

Products: Colette LOO3TB lighting,
Oblique bar counter, Babila barstool




Pedrali Light frames

Salone Internazionale
del Mobile 2015
Milan, Italy


Project: Exhibition stand
Architect: Migliore+Servetto Architects
Products: Colette L003TA and L001 S/BA lighting,
Ester side chair and armchair, Inox table,
Modus modular seating, Stylus table,
Malmö armchair, Tivoli side chair and armchair

SIZES / DIMENSIONI

L003TA
Polycarbonate lighting



L003TB
Polycarbonate lighting



FINISHES / FINITURE

polycarbonate / polycarbonato



cable / cavo



electrical features / caratteristiche elettriche

- **Light L003TA:** MAX 1X12W E14 220-240V 50/60 Hz IP20 Class II
- **Light L003TB:** MAX 1X24W E27 220-240V 50/60 Hz IP20 Class II

Light bulb included
Lampadina inclusa

CERTIFICATES / CERTIFICAZIONI

EN60598-2-4:1997 used in compliance with EN 60598-1:2008 • A11:2009 (test report N°0146CE13 • N°0260CE16)
EN60598-2-4:1997 usato in conformità con EN 60598-1:2008 • A11:2009 (test report N°0146CE13 • N°0260CE16)



Declaration of European conformity
Dichiarazione di conformità Europea


L001

Lighting time

DESIGN
Alberto Basaglia - Natalia Rota Nodari, 2009

EN — L001 is a collection of indoor lamps with a iconic design consisting of two polycarbonate diffusers, thanks to its modularity creates up to five different combinations. An airy atmosphere made possible by a translucent diffuser as the glass, but with the features of moulded polycarbonate.

IT — L001 è una collezione di lampade indoor dal design rigoroso composta da elementi, tra i quali due diffusori in polycarbonato capaci di creare fino a cinque diverse combinazioni. Un'atmosfera eterea resa possibile da un diffusore traslucido come il vetro, ma con tutte le qualità del polycarbonato stampato.



MEETING



Lighting lampada L001SW/A
Chair sedia Frida
Table tavolo Kuadro

LOUNGING



Lighting lampada L001CW/A
Lounge armchair poltrona Jil Lounge
Coffee table tavolino Code


EATING

Lighting lampada L001SW/A
Side chair sedia Osaka
Armchair poltrona Osaka
Modular seating seduta modulare Modus
Table tavolo Inox



EATING

EATING




Lighting lampada L001W40/A
Armchair poltrona Vic
Modular seating sedute modulare Modus
Table tavolo Inox

WAITING




Lighting lampada L001ST/B
Lounge armchair poltrona lounge Malmò Relax
Coffee table tavolino Malmò



Lighting Lampada



L001S/A







Polycarbonate diffuser,
white glossy finish
Diffusore in polycarbonato,
finitura bianco lucido





Two polycarbonate
diffusers, glossy finish
Due diffusori in polycarbonato,
finitura lucida


L001S/AA



SUSPENSION / SOSPENSIONE



Matt black ceiling
rose and cable
Rosone e cavo
neri opachi



Small diffuser
in combination
with large diffuser
Diffusore piccolo
in abbinamento
a diffusore grande





TABLE / DA TAVOLO



TABLE / DA TAVOLO



WALL / DA PARETE



**Polycarbonate diffuser,
matt black laquered**
Diffusore in policarbonato
laccato nero opaco

L001W40/A

WALL / DA PARETE



Steel tube frame
Telaio in tubo di acciaio

L001W40/B




L001W20/AA




L001W90/B


FLOOR / DA TERRA



FLOOR / DA TERRA



FLOOR / DA TERRA



L001T/B



L001T/BA

Transparent atmospheres

IMM 2018

Cologne, Germany

Project: Exhibition stand

Architect: CalviBrambilla

Products: L001 SW/BA lighting,
Fox armchair, Babila table





Pedrali Solid Geometry

Salone Internazionale
del Mobile 2017
Milan, Italy

Project: Exhibition stand
Architect: CalviBrambilla
Products: L001CW//AA and L001ST/B
lighting, Arki-Table, Babila armchair

Industrial Symphony

Pedrali Headquarters,
Mornico al Serio, Italy

Project: Showroom
Architect: CalviBrambilla
Products: L001CW//AA lighting,
Jazz barstool, Ikon table





Cadebasi Franciacorta

Erbusco, Italy

Project: Café & Restaurant

Products: L001 CW/AA lighting,
Jil barstool, Babila side chair,
Arki-Base table, Arki-Table, Modus
modular seating, Dome side chair

Pedrali Urban Life

Salone Internazionale
del Mobile 2016
Milan, Italy

Project: Exhibition stand

Architect: Migliore+Servetto Architects

Products: L001 CW/A and L001 CW/B
lighting, Social and Social Plus modular
seatings, Inox table, Malmö table,
Stylus table, Babila barstool



Temporary Installation

Bergamo, Italy

Project: Coffee bar

Products: L001S/B lighting,
Day Dream chair



Pedrali Urban Life

Salone Internazionale
del Mobile 2016
Milan, Italy

Project: Exhibition stand

Architect: Migliore+Servetto Architects

Products: L001WS0/A lighting, Modus

modular seating, Inox table, Tivoli side chair

and armchair, Malmö side chair and armchair,

Ester side chair and armchair



Pedrali Light Frames

Salone Internazionale
del Mobile 2015
Milano, Italy

Project: Exhibition stand
Architect: Migliore+Servetto Architects
Product: L001 ST/B lighting, Malmö Relax
lounge armchair and coffee table

Pedrali Flying Boxes


Salone Internazionale
del Mobile 2014
Milano, Italy

Project: Exhibition stand
Architect: Migliore+Servetto Architects
Product: L001 S/A lighting,
Brera barstool




SIZES / DIMENSIONI


L001S/A
Suspension lamp with polycarbonate diffuser




L001S/B
Suspension lamp with polycarbonate diffuser




L001SW/A
Suspension lamp with polycarbonate diffuser




L001SW/B
Suspension lamp with polycarbonate diffuser




L001S/AA* (A+A)
Suspension lamp with two polycarbonate diffusers




L001S/BB* (B+B)
Suspension lamp with two polycarbonate diffusers




L001SW/AA* (A+A)
Suspension lamp with two polycarbonate diffusers



L001S/BA* (B+A)
Suspension lamp with two polycarbonate diffusers



L001SW/BA* (B+A)
Suspension lamp with two polycarbonate diffusers



*Inner diffuser = colour BI only / Diffusore interno = solo colore BI

FINISHES / FINITURE

ceiling rose / rosone



RB

RN

electrical features / caratteristiche elettriche

- L001S Light: MAX 1X75W E27 220-240V 50-60 Hz IP20 Class I
- L001SW Light: MAX 1X23W E27 220-240V 50-60 Hz IP20 Class II

Light bulb excluded / Lampadina esclusa

CERTIFICATES / CERTIFICAZIONI

L001S
EN60598-2-1:1989 used in compliance with EN 60598-1:2008 (test report N°0862CE12)
EN60598-2-1:1989 usato in conformità con EN 60598-1:2008 (test report N°0862CE12)

L001SW
EN60598-2-1:1989 used in compliance with EN 60598-1:2015 (test report 0104CE16)
EN60598-2-1:1989 usato in conformità con EN 60598-1:2015 (test report 0104CE16)



Declaration of European conformity
Dichiarazione di conformità Europea

SIZES / DIMENSIONI


- L001CW/A_3, 6, 8

Suspension lamp with polycarbonate diffuser, cable length 3000, 6000, 8000 mm, with 2, 4, 5 cable clamp
- L001CW/B_3, 6, 8

Suspension lamp with polycarbonate diffuser, cable length 3000, 6000, 8000 mm, with 2, 4, 5 cable clamp
- L001CW/AA*_3, 6, 8

Suspension lamp with polycarbonate diffuser, cable length 3000, 6000, 8000 mm, with 2, 4, 5 cable clamp
- L001CW/BA*_3, 6, 8

Suspension lamp with polycarbonate diffuser, cable length 3000, 6000, 8000 mm, with 2, 4, 5 cable clamp



*Inner diffuser = colour BI only / Diffusore interno = solo colore BI

FINISHES / FINITURE

cable clamp / fissacavo



NEF
Matt black
Nero opaco

electrical features / caratteristiche elettriche

- L001CW Light: MAX 1X23W E27 220-240V 50-60 Hz IP20 Class II

Light bulb excluded / Lampadina esclusa

CERTIFICATES / CERTIFICAZIONI

L001CW
EN60598-2-1:1989 used in compliance with EN 60598-1:2015 (test report 0104CE16)
EN60598-2-1:1989 usato in conformità con EN 60598-1:2015 (test report 0104CE16)




Declaration of European conformity
Dichiarazione di conformità Europea

SIZES / DIMENSIONI

- L001TA/A

Table lamp, steel frame, polycarbonate diffuser
- L001TA/AA* (A+A)

Table lamp, steel frame, two polycarbonate diffusers



*Inner diffuser = colour BI only / Diffusore interno = solo colore BI

FINISHES / FINITURE

steel base / base in acciaio



_BI300
White
Blanco

_NERO
Black
Nero

electrical features / caratteristiche elettriche

- L001TA Light: MAX 1X100W E27 220-240V 50-60 Hz IP20 Class II









Light bulb included / Lampadina inclusa

CERTIFICATES / CERTIFICAZIONI

EN60598-2-4:1997 used in compliance with EN 60598-1:2008-A11:2009 (test report N°0087CE10)
EN60598-2-4:1997 used in conjunction with EN 60598-1:2008-A11:2009 (test report N°0087CE10)




Declaration of European conformity
Dichiarazione di conformità Europea

SIZES / DIMENSIONI			FINISHES / FINITURE	
L001W20/A Wall lamp with visible black cable, matt steel frame, polycarbonate diffuser 	L001W40/A Wall lamp with visible black cable, matt steel frame, polycarbonate diffuser 	L001W90/A Wall lamp with visible black cable, matt steel frame, polycarbonate diffuser 	cable clamp / fissacavo  NEF Matt black Nero opaco	frame / struttura  NEF Matt black Nero opaco _OA Antique brass Ottone anticato
electrical features / caratteristiche elettriche • L001W Light: MAX 1X23W E27 220-240V 50-60 Hz IP20 Class II Light bulb excluded / Lampadina esclusa				
L001W20/AA* (A+A) Wall lamp with visible black cable, matt steel frame, polycarbonate diffusers 	L001W40/AA* (A+A) Wall lamp with visible black cable, matt steel frame, polycarbonate diffusers 	L001W90/AA* (A+A) Wall lamp with visible black cable, matt steel frame, polycarbonate diffusers 		
L001W40/B Wall lamp with visible black cable, matt steel frame, polycarbonate diffuser 	L001W90/B Wall lamp with visible black cable, matt steel frame, polycarbonate diffuser 	L001W90/BA* (B+A) Wall lamp with visible black cable, matt steel frame, polycarbonate diffuser 		
*Inner diffuser = colour BI only Diffusore interno = solo colore BI				
Declaration of European conformity Dichiarazione di conformità Europea				
EN60598-2-1:1989 used in compliance with EN 60598-1:2015 (test report 0104CE16) EN60598-2-1:1989 usato in conformità con EN 60598-1:2015 (test report 0104CE16)				

SIZES / DIMENSIONI

L001ST/B


Floor lamp, steel frame, polycarbonate diffuser



***Inner diffuser = colour BI only**
Diffusore interno = solo colore BI

FINISHES / FINITURE

steel base / base in acciaio



electrical features / caratteristiche elettriche

- L001ST Light: MAX 1X100W E27 220-240V 50-60 Hz IP20 Class II

Light bulb included / Lampadina inclusa

CERTIFICATES / CERTIFICAZIONI

EN60598-2-4:1997 used in compliance with EN 60598-1:2008-A11:2009 (test report N°0087CE10)
EN60598-2-4:1997 used in conjunction with EN 60598-1:2008-A11:2009 (test report N°0087CE10)




Declaration of European conformity
Dichiarazione di conformità Europea

SIZES / DIMENSIONI

L001T/B


Floor lamp version with a steel base, polycarbonate diffuser, foot pedal to switch on



***Inner diffuser = colour BI only**
Diffusore interno = solo colore BI

FINISHES / FINITURE

steel base / base in acciaio



electrical features / caratteristiche elettriche

- L001T Light: MAX 1X100W E27 220-240V 50-60 Hz IP20 Class I

Light bulb excluded / Lampadina esclusa

CERTIFICATES / CERTIFICAZIONI

EN60598-2-4:1997 used in compliance with EN 60598-1:2008 (test report N°0285CE09)
EN60598-2-4:1997 usato in conformità con EN 60598-1:2008 (test report N°0285CE09)



Declaration of European conformity
Dichiarazione di conformità Europea

FINISHES / FINITURE

polycarbonate diffuser / diffusore in policarbonato

transparent / trasparente

solid colour



TR



FU




RT



VL
DiffuserA
only



NE



BI

soft-touch coated / verniciato finitura soft-touch



BE



GA



RM



NS



VE


L002

Lighting Time

DESIGN
Alberto Basaglia - Natalia Rota Nodari, 2011

EN — Distinguished by soft and sinuous shapes, the L002 collection is the result of combining two moulded polycarbonate shells. The inner shell diffuses the light and hides the bulb, while the outer diffuser comes in different colours.

IT — Caratterizzata da forme morbide e sinuose, la collezione L002 nasce dall'unione di due gusci in policarbonato stampato. Il guscio interno diffonde la luce nascondendo la lampadina; quello esterno può essere in diversi colori.



LIVING

LIVING

Lighting lampada L0027/BA
Sofa divano Social Plus
Coffee table tavolino Code



EATING



WORKING



WORKING





WORKING




Lighting: lampada L0027/BA
Armchair: poltrona Laja
Table: tavolo Arki-Table
Pot: vaso Kado 2
Umbrella stand: portaombrelli Brak
Clothes hanger: appendiabiti Flag Wall


Lighting Lampada




SUSPENSION / SOSPENSIONE



WALL / DA PARETE




FLOOR / DA TERRA



L002 101


FLOOR / DA TERRA



L002ST/BA


100 PEDRALI Lighting / Lampade

FLOOR / DA TERRA



L002 103

FLOOR / DA TERRA



L002T/BA

102 PEDRALI Lighting / Lampade

Private house

Milan, Italy

Project: Private house

Products: L002T/BA and L002ST lighting,
Noa side chair, Ark-Table



Transparent atmospheres

IMM 2018

Cologne, Germany

Project: Exhibition stand

Architect: CalviBrambilla

Products: L002SW/BA lighting,
Arki-Table, Nym side chair and armchair





Private office


Bergamo, Italy

Project: Office


Products: L002ST/BA lighting,
Host modular seating,
Noa side chair

SIZES / DIMENSIONI

L002S/BA
Suspension lamp with
two polycarbonate diffusers




L002SW/BA
Suspension lamp with two
polycarbonate diffusers



Inner diffuser = colour BI only / Diffusore interno = solo colore BI

FINISHES / FINITURE

ceiling rose / rosone



electrical features / caratteristiche elettriche

- Light L002S: MAX 1x75W E27 220-240V 50-60Hz IP20 Class I
- Light L002SW: MAX 1x23W E27 220-240V 50-60 Hz IP20 Class II

Light bulb excluded / Lampadina esclusa

CERTIFICATES / CERTIFICAZIONI

L002S
EN60598-2-1:1989 used in compliance with EN 60598-1:2008 (test report N°0262CE12)
EN60598-2-1:1989 usato in conformità con EN 60598-1:2008 (test report 0262CE12)

L002SW
EN60598-2-1:1989 used in compliance with EN 60598-1:2008 (test report N°0262CE12)
EN60598-2-1:1989 usato in conformità con EN 60598-1:2008 (test report 0262CE12)



Declaration of European conformity
Dichiarazione di conformità Europea

SIZES / DIMENSIONI

L002CW/BA_3, 6, 8

Suspension lamp with two polycarbonate diffusers; cable length 3000, 6000, 8000 mm, with 2, 4, 5 cable clamp



Inner diffuser = colour BI only / Diffusore interno = solo colore BI

FINISHES / FINITURE

cable clamp / fissacavo



NEF
Matt black
Nero opaco

electrical features / caratteristiche elettriche

- Light L002CW: MAX 1x23W E27 220-240V 50-60Hz IP20 Class II

Light bulb excluded / Lampadina esclusa

CERTIFICATES / CERTIFICAZIONI

L002CW
EN60598-2-1:1989 used in compliance with EN 60598-1:2008 (test report N°0262CE12)
EN60598-2-1:1989 usato in conformità con EN 60598-1:2008 (test report 0262CE12)




Declaration of European conformity
Dichiarazione di conformità Europea

SIZES / DIMENSIONI

L002W40/BA

Wall lamp with visible black cable and steel frame in matt finish, two polycarbonate diffusers



Inner diffuser = colour BI only / Diffusore interno = solo colore BI

FINISHES / FINITURE

cable clamp / fissacavo



NEF
Matt black
Nero opaco

electrical features / caratteristiche elettriche

- Light L002W: MAX 1x23W E27 220-240V 50-60 Hz IP20 Class II

Light bulb excluded / Lampadina esclusa

CERTIFICATES / CERTIFICAZIONI

EN60598-2-1:1989 used in compliance with EN 60598-1:2008 (test report N°0262CE12)
EN60598-2-1:1989 usato in conformità con EN 60598-1:2008 (test report 0262CE12)




Declaration of European conformity
Dichiarazione di conformità Europea

SIZES / DIMENSIONI


L002T/BA

Polycarbonate diffusers, steel frame




L002ST/BA

Two polycarbonate diffusers, steel frame



FINISHES / FINITURE

steel base / base in acciaio



electrical features / caratteristiche elettriche

- **Light L002T:** MAX 1X100W E27 220-240V 50-60 Hz IP20 Class II
Light bulb **excluded** / Lampadina esclusa
- **Light L002ST:** MAX 1X100W E27 220-240V 50-60 Hz IP20 Class II
Light bulb **included** / Lampadina inclusa

CERTIFICATES / CERTIFICAZIONI

L002T
EN60598-2-4:1987 used in compliance with EN 60598-1:2008 (test report N°0146CE11)
EN60598-2-1:1989 usato in conformità con EN 60598-1:2008 (test report N°0146CE11)

L002ST
EN60598-2-1:1989 used in compliance with EN 60598-1:2008 (test report N°0262CE12)
EN60598-2-1:1989 usato in conformità con EN 60598-1:2008 (test report 0262CE12)




Declaration of European conformity
Dichiarazione di conformità Europea

FINISHES / FINITURE

polycarbonate diffuser / diffusore in policarbonato

transparent / trasparente

solid colour



soft-touch coated / verniciato finitura soft-touch



L004

Lighting Time


DESIGN
Alberto Basaglia - Natalia Rota Nodari, 2014

EN — L004 is a natural development of model L002. The outer diffuser vanishes showing the sinuous outlines of the inner diffuser in moulded polycarbonate. Defined by soft sleek lines, the collection consists of suspension lamps.

IT — L004 nasce da un'evoluzione naturale di L002. Il guscio esterno scompare a scoprire le linee sinuose del diffusore interno in polycarbonato stampato. Caratterizzata da morbidezza e sinuosità, la collezione si compone di lampade a sospensione.



EATING



Lighting lampada L004S/A
Chair sedia Brera
Table tavolo Fabbrico
Barstool sgabello Brera

EATING


EATING



Lighting lampada L004SW/A
Chair sedia Frida
Table tavolo Inox




Lighting lampada L004S/A
Table Tavolo Ikon Big
Armchair poltrona Gliss




L004S/A

Lighting Lampada




Polycarbonate diffuser,
soft-touch finish
Diffusore policarbonato,
finitura soft-touch

SUSPENSION / SOSPENSIONE



WALL / DA PARETE



Transparent atmospheres

IMM 2018

Cologne, Germany

Project: Exhibition stand

Architect: CalviBrambilla

Products: L004SW/A lighting, Babila armchair
and table, Babila Comfort lounge chair,
Malmö coffee table, Fox armchair



Ironie Office

Orgatec 2016

Cologne, Germany

Project: Exhibition stand

Architect: CalviBrambilla

Products: L004S/A lighting,
Arki-Table, Dome side chair





Private house

Desenzano del Garda, Italy

Project: Private house

Products: L004SW/A lighting,
Babilia side chair, Ikon Big table

Industrial Symphony

Pedrali Headquarters,
Mornico al Serio, Italy

Project: Showroom

Architect: Calvi Brambilla


Products: L004SW/A lighting,
Arki-Table, Laja Wings armchair,
Vic armchair, Ikon table



SIZES / DIMENSIONI


L004S/A

Polycarbonate diffuser,
white ceiling rose transparent cable




L004SW/A

Polycarbonate diffuser,
black ceiling rose and cable



FINISHES / FINITURE

ceiling rose / rosone



electrical features / caratteristiche elettriche

- Light L004S: MAX 1x75W E27 50-60Hz 220-240V IP20 Classe I
- Light L004SW: MAX 1x23W E27 220-240V IP20 Class II

Light bulb excluded / Lampadina esclusa

CERTIFICATES / CERTIFICAZIONI

L004S
EN60598-2-1:1989 used in compliance with EN 60598-1:2008 (test report N° 0262CE12)
EN60598-2-1:1989 usato in conformità con EN 60598-1:2008 (test report N° 0262CE12)

L004SW
EN60598-2-1:1989 used in compliance with EN 60598-1:2015 (test report 0104CE16)
EN60598-2-1:1989 usato in conformità con EN 60598-1:2015 (test report 0104CE16)




Declaration of European conformity
Dichiarazione di conformità Europea

SIZES / DIMENSIONI

L004CW/A_3/6/8

Suspension lamp with two
polycarbonate diffusers, cable
length 3000, 6000, 8000 mm,
with 2, 4, 5 cable clamp



FINISHES / FINITURE

cable clamp / fissacavo



electrical features / caratteristiche elettriche

- Light L004CW: MAX 1x23W E27 220-240V IP20 Class II

Light bulb excluded / Lampadina esclusa

CERTIFICATES / CERTIFICAZIONI

EN60598-2-1:1989 used in compliance with EN 60598-1:2015 (test report 0104CE16)
EN60598-2-1:1989 usato in conformità con EN 60598-1:2015 (test report 0104CE16)




Declaration of European conformity
Dichiarazione di conformità Europea

SIZES / DIMENSIONI


L004W40/A

Wall applique version, visible black cable and powder coated steel frame in matt finish



L004W90/A


Wall applique version, visible black cable and powder coated steel frame in matt finish



FINISHES / FINITURE

polycarbonate diffuser / diffusore in policarbonato

soft-touch coated / verniciato finitura soft-touch



FINISHES / FINITURE

cable clamp / fissacavo



NEF
Matt black
Nero opaco

steel frame / struttura in acciaio

Antique brass
Ottone anticato

NEF
Matt black
Nero opaco

electrical features / caratteristiche elettriche

- **Light L004W:** MAX 1x23W E27 220-240V 50-60Hz IP20 Class II

Light bulb excluded / Lampadina esclusa

CERTIFICATES / CERTIFICAZIONI

EN60598-2-1:1989 used in compliance with EN 60598-1:2015 (test report 0104CE16)
EN60598-2-1:1989 usato in conformità con EN 60598-1:2015 (test report 0104CE16)



Declaration of European conformity
Dichiarazione di conformità Europea

130 PEDRALI Lighting / Lampade